



MODEL NO - oznaka modela	DESCRIPTION - OPIS	CIJENA MPC U KM ZA BIH sa PDV
F#1 Status		
SPX-Z18T	3 way speaker,200W Peak Power	4145
SPX-Z15M	2 way speaker,200W Peak Power	1636,5
Marine		
CDA-118M	Waterproof 1.8 DIN Marine CD Receiver, Max Power Output: 50W x 4, Water Proof: IPx5, UV Coating: ASTMG154, Salt/Fog: ASTMG117	799
CDA-9886M	Marine CD Receiver / iPod Controller, 18W RMS / 50W Max x 4, CD-R/-RW/MP3/AAC/WMA Playback, USB connection for USB memory sticks, Full Speed Connection for iPod touch, iPod Nano and all iPod models with dock connector, BioLite display, bluetooth ready, Full Speed Aux input, Quick Search, Ai-NET, 3 PreOuts (4V), Remote Control Included, Steering wheel remote ready, Sub display output for use with MC-1 Marine Commander, KCE-422i Full Speed Cable included, Salt/Fog (ASTM B117) Tested, UV (ASTM D4329) Tested	699
iDA-X100M	Marine Digital Media Receiver, 18W RMS / 50W Max x 4, USB connection for iPod (iPod classic 5G/6G, iPod nano 1G-3G), MP3 players using MTP protocol and USB memory sticks, Full Speed Connection for iPod touch and previous iPod models with dock connector, 2.2 inch resolution TFT display, 24-Bit DAC, Bluetooth ready with Audio Streaming, 3 PreOuts, Sub display output for use with MC-1 Marine Commander, Salt/Fog (ASTM B117) Tested, UV (ASTM D4329) Tested	699
SPS-M600	6.5-inch Coaxial, 2-Way Marine Speaker, Marine Ratings: ASTM B117 & G154/D4329, NEMA IPx5	169,5
SPS-M600W	White Version, 6.5-inch Coaxial, 2-Way Marine Speaker, Marine Ratings: ASTM B117 & G154/D4329, NEMA IPx5	169,5
SPR-M70	7" Component 2-Way Marine Speaker, Marine Ratings: ASTM B117 & G154/D4329, NEMA IPx5	455
SPR-M700	7-inch Coaxial, 2-way Marine Speaker, Marine Ratings: ASTM B117 & G154/D4329, NEMA IPx5	290
SPR-M700W	White Version, 7-inch Coaxial, 2-way Marine Speaker, Marine Ratings: ASTM B117 & G154/D4329, NEMA IPx5	290
SWR-M100	Silver Version, 10-inch, Marine Subwoofer, 300W Maximum RMS, 900W Peak Power Handling, Nominal Impedance 4Ohm, Frequency Response: 35Hz-700Hz, Infinite baffle design, Gold-plated 2-way spade/insert terminals, Marine Ratings: ASTM B117 & G154/D4329, NEMA IPx5	261,5
SWR-M100W	White Version, 10-inch, Marine Subwoofer, 300W Maximum RMS, 900W Peak Power Handling, Nominal Impedance 4Ohm, Frequency Response: 35Hz-700Hz, Infinite baffle design, Gold-plated 2-way spade/insert terminals, Marine Ratings: ASTM B117 & G154/D4329, NEMA IPx5	261,5
RUE-M1RF	Remote Control Kit for Marine Applications, Marine Ratings: ASTM B117 & G154/D4329, NEMA IP67	200
MC-20	Remote Commander, high contrast display, IPx6 waterproof design allows installation anywhere, compatible with CDA-118M, Duatzone	450
MC-2	Additional Remote Commander, high contrast display, IPx6 waterproof design allows installation anywhere, compatible with CDA-118M	285
MC-1	Additional Remote Commander, high contrast display, IPx6 waterproof design allows installation anywhere, compatible with CDA-9886M	285
PDX-4.100M	Marine 4/3/2 Channel Power Density Digital Amplifier, 100WRMS x 1 @ 4ohm/2ohm, Salt/Fog Certified, Marine Ratings: ASTM B117 & G154/D4329	937,3
PDX-1.600M	Marine Mono Power Density Digital Amplifier, 600WRMS x 1 @ 4ohm/2ohm, Salt/Fog Certified, Marine Ratings: ASTM B117 & G154/D4329	937,3
C/A		
1. H/U		
1.1 CD-Tuner		
CDA-117Ri	CD RECEIVER / USB AND iPod CONTROLLER 50W x 4 Amplifier, Rear USB Port, Media Xpander, 2-way Digital X-over, Parametric & Graphic EQ, Digital Time Correction, 3 PreOuts (4V) RDS Tagging (iPod), Works with iPhone, IMPRINT Ready, SWRC Ready, VDI Ready, Digital Tuner	699
CDE-126BT	BLUETOOTH CD RECEIVER / USB AND iPod CONTROLLER • 4 x 50W High Power Amp • Built-in Parrot Bluetooth module • CD-R/-RW/MP3/AAC/WMA Playback • Front USB port for USB sticks • Made for iPhone and iPod • Full Speed connection for iPod and iPhone • Front AUX input (3.5mm mini jack) • White LCD Display • Quick Search • Steering Wheel Remote Control Ready • 2 PreOuts • KTP-445 Power Pack Ready • 4 Illumination Colours Selectable (blue/ red/ green/ amber) • Microphone Included • Bluetooth menu in 6 languages and featuring alphabetic search option	459
CDE-125BT	BLUETOOTH CD RECEIVER / USB AND iPod CONTROLLER • 4 x 50W High Power Amp • Built-in Parrot Bluetooth module • CD-R/- RW/MP3 Playback • Front USB port for USB sticks • Made for iPhone and iPod • Full Speed connection for iPod and iPhone • Front AUX input (3.5mm mini jack) • White LCD Display • Quick Search • Steering Wheel Remote Control Ready • 1 PreOut • KTP-445 Power Pack Ready • Blue Illumination • Microphone Included • Bluetooth menu in 6 languages and featuring alphabetic search option	399
CDE-112Ri	BLUETOOTH CD RECEIVER / USB AND iPod CONTROLLER • 4 x 50W High Power Amp • Built-in Parrot Bluetooth module • CD-R/-RW/MP3/AAC/WMA Playback • Front USB port for USB sticks • Works with iPhone • Full Speed connection for iPod 5G, iPod nano 1G-4G, iPod classic, iPod touch 1G-2G • Full Speed Connection Cable Included • Front AUX input (3.5mm mini jack) • White LCD Display • Quick Search • Steering Wheel Remote Control Ready • 2 PreOuts	349



MODEL NO - oznaka modela	DESCRIPTION - OPIS	CIJENA MPC U KM ZA BIH sa PDV
CDE-111R	CD RECEIVER / USB AND iPod CONTROLLER • 4 x 50W High Power Amp • Parrot Bluetooth Ready with KCE-400BT • CD-R/-RW/MP3 Playback • Front USB port for USB sticks • Works with iPhone • Full Speed connection for iPod 5G, iPod nano 1G-4G, iPod classic, iPod touch 1G-2G • White LCD Display • AUX input (requires KCE-237B) • Quick Search • Steering Wheel Remote Control Ready • 1 PreOut	299
CDE-111RM	CD RECEIVER / USB AND iPod CONTROLLER • Same features as CDE-101R but with amber illumination	299
CDE-W203Ri	2DIN CD RECEIVER / USB AND iPod CONTROLLER • 4 x 50W High Power Amp • Parrot Bluetooth Ready with KCE-400BT • CD-R/-RW/MP3/AAC/WMA Playback • Front USB port for USB sticks • Works with iPhone • Full Speed connection for iPod 5G, iPod nano 1G-4G, iPod classic, iPod touch 1G-2G • Full Speed Connection Cable Included • Front AUX input (3.5mm mini jack) • White LCD Display • Quick Search • Steering Wheel Remote Control Ready • 1 PreOut • Remote Control Ready	499
CDE-120R	CD RECEIVER / USB CONTROLLER , Green • 50 Watts x 4 • RDS, ISO Connector, Front USB (with folder search) • Front AUX • CD drive with MP3/WMA/AAC • Basic sound adjustments • 1 PreOut (for speaker or subwoofer)	219
CDE-120RM	CD RECEIVER / USB CONTROLLER , Amber • 50 Watts x 4 • RDS, ISO Connector, Front USB (with folder search) • Front AUX • CD drive with MP3/WMA/AAC • Basic sound adjustments • 1 PreOut (for speaker or subwoofer)	219
CDE-120RR	CD RECEIVER / USB CONTROLLER , Red • 50 Watts x 4 • RDS, ISO Connector, Front USB (with folder search) • Front AUX • CD drive with MP3/WMA/AAC • Basic sound adjustments • 1 PreOut (for speaker or subwoofer)	219
CDE-123R	CD RECEIVER / USB AND iPod CONTROLLER • 4 x 50W High Power Amp • Parrot Bluetooth Ready with KCE-400BT/-250BT • CD-R/-RW/MP3/AAC/WMA Playback • 1 Front and 1 Rear USB port • USB Cable Included • Made for iPhone and iPod • Direct iPod Control • USB Tag Search • Works with Nokia (requires KCU-230NK) • Front AUX input (3.5mm mini jack) with Portable Navi Voice Guidance Input • White LCD Display • Quick Search • Steering Wheel Remote Control Ready • KTP-445 Power Pack Ready • 4 Illumination Colours Selectable (blue/red/green/amber) • 3 PreOuts • 3 Bands Parametric EQ • High-pass / Low-pass Filter	349
CDE-100EUB	CD RECEIVER / USB CONTROLLER • 50 Watts x 4 • Front USB (with folder search) • Front AUX • CD drive with MP3/WMA/AAC • Basic sound adjustments • 1 PreOut (for speaker or subwoofer)	189
CDE-9882Ri	CD RECEIVER / USB AND iPod® CONTROLLER • 4 x 50W High Power Amp • CD-R/-RW/MP3/AAC/WMA Playback • USB connection for MP3 players using MTP protocol and USB thumb drives • Full Speed connection for iPhone, iPod touch, iPod nano and all iPod models with dock connector (cable included) • 2-line LCD Display • Bluetooth Ready • Full Speed AUX input • Quick Search • 2 illumination colours selectable • Steering Wheel Remote Control Ready • 3 PreOuts • Remote Control Ready, iPod® Full Speed cable Included	449
CDE-9880R	CD RECEIVER / USB AND iPod® CONTROLLER • 4 x 50W High Power Amp • CD-R/-RW/MP3/AAC/WMA Playback • USB connection for MP3 players using MTP protocol and USB thumb drives • Full Speed connection for iPhone, iPod touch, iPod nano and all iPod models with dock connector • 2-line LCD Display • Bluetooth Ready • Full Speed AUX input • Quick Search • 2 illumination colours selectable • Steering Wheel Remote Control Ready • 3 PreOuts • Remote Control Ready	399
1.3 Digital Media Receiver		
iDA-X305S	DIGITAL MEDIA RECEIVER • 4 x 50W High Power Amp • Works with iPhone • USB connection for iPod, iPhone and USB sticks • iPod / USB adapter + 2.0m USB Cable Included • 2.2" high resolution TFT display with iPersonalize customization • IMPRINT Ready with PXA-H100 • 24-Bit DAC • Parrot Bluetooth Ready with KCE-400BT or KCE-250BT • Dual Action Encoder • Quick Search • Ai-NET • KTP-445 Power Pack Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 2 illumination colours selectable (blue/red) • AUX input (requires KCE-237B) • 3 PreOuts • 2 Prelns for PXA-H100 • MP3/AAC/WMA Playback • Remote Control Ready • CD Mechanism-less design	649
iDA-X313	DIGITAL MEDIA RECEIVER • 4 x 45W High Power Amp • Works with iPhone • USB connection for iPod (iPod 5G, iPod nano 1G-4G, iPod classic, iPod touch 1G-2G), and USB sticks • iPod / USB adapter + 2m USB Cable Included • LCD display • IMPRINT Ready with PXA-H100 • 24-Bit DAC • Parrot Bluetooth Ready with KCE-400BT • Double-Action Encoder • Quick Search • Ai-NET • KTP-445 Power Pack Ready • Steering Wheel Remote Control Ready • AUX input (requires KCE-237B) • 3 PreOuts • 2 Prelns for PXA-H100 • MP3/AAC/WMA Playback • Remote Control Ready • CD Mechanism-less design	499
iDA-X311	DIGITAL MEDIA RECEIVER • 4 x 45W High Power Amp • USB Connection for USB sticks • 2m USB Cable Included • Full Speed Connection for iPod (iPod 4G-5G, iPod nano 1G-4G, iPod mini, iPod classic, iPod touch 1G-2G) • Full Speed Connection Cable Included • LCD display • 24-Bit DAC • Parrot Bluetooth Ready with KCE-400BT • Rotary Encoder • Quick Search • Ai-NET • KTP-445 Power Pack Ready • AUX input (requires KCE-237B) • Steering Wheel Remote Control Ready • 1 PreOut • MP3/AAC/WMA Playback • Remote Control Ready • CD Mechanism-less design	388,85
iDA-X311RR	DIGITAL MEDIA RECEIVER • Same features as iDA-X311 • Red illumination	388,85



MODEL NO - oznaka modela	DESCRIPTION - OPIS	CIJENA MPC U KM ZA BIH sa PDV
eX-10	ADVANCED iPod® CONTROLLER WITH Bluetooth, 2.4" high-resolution TFT display • Full Speed connection for all iPod models with dock connector • Built-in high quality FM transmitter • Works with any car radio • Quick Search • 3 viewing modes for iPod playback • Album artwork display • Built-in Bluetooth module for hands-free phone operation • Compatible with many Bluetooth enabled mobile phones • Caller's voice heard through vehicle speakers • Caller number display • Audio Streaming Ready • AUX output (mini-jack) • Included wireless remote control, wire harness, power adapters for cigarette lighter socket and microphone	349
2. Equalizer / Processor		
PXA-H100	IMPRINT SOUND PROCESSOR	329
KTX-H100	IMPRINT SOUND CALIBRATION KIT for PXA-H100 (Software, USBcable, Mic)	59
KTX-100EQ	Calibration kit for CDA-9887R, Includes calibration CD-ROM, high-end microphone, calibration black-box and cables	359
PXE-H650	SYSTEM INTEGRATION AUDIO PROCESSOR, Advanced factory audio system integration and tuning processor, High/Low level, Auto-Ranging & Auto-Summing input, 24-Bit DAC, AntEQ sound correction, Audyssey MultEQ XT sound optimization, Time Correction, Phase Correction, Parametric EQ & HP/BP/LP/Subsonic filters	999
PXA-H800	SYSTEM INTEGRATION AUDIO PROCESSOR, 31-band Graphic EQ per channel (front L/R, rear L/R, centre, subwoofer: 10-band), Gain -12dB to + 12dB • Parametric EQ (front L/R 10-band, rear L/R 10-band, subwoofer 5-band, centre 10-band), Q 0.5/1/1.5/2/2.5/3/4/5, Gain -12dB to + 12dB • 8 channel auto/manual digital time correction (0 to 20ms, 0.05ms steps) • Basic functions Touch Control Ready with IVA-D511R/RB, IVA-D800R, INA-W910R, IVA-W520R • MediaXpander Plus • X-Over: Digital HPF/LPF (Slope 0/-6/-12/-18/-24/-30/-36, Gain -24dB to 0dB) • RoadEQ • ImprintEQ • 6 Channel RCA Input • 2 x Ai-NET Inputs • 2 x Optical Input • 6 Channel Speaker Level Input • 8 Channel configurable RCA output (4 Volts) • USB Port for computer setup via included Sound Manager software (requires Windows XP/Vista/7) • Included Microphone and USB Cable • Dolby Digital • Dolby PRO LOGIC II • DTS • Includes 5.5m Ai-NET cable • Gold-plated RCA Connectors • 2 x 32-Bit Floating-point SHARC DSP • 4 x Wolfson 24-Bit D/A Converters (K-Rank) • Euphony Sound Enhancement • RUX-C800 required for full operation	1399
RUX-C800	CONTROLLER FOR PXA-H800 • Includes installation kit • BioLite OLED display • Dual illumination (blue/red)	449
3. Amplifier		
3.1 Mono Amplifier		
PDX-M12	MONO POWER DENSITY DIGITAL AMPLIFIER, 1 x 2500 W Max, 1 x 1200 W RMS [2Ω and 4Ω@14.4V 1% THD], Low Resistance, High Current Speaker Terminals	1099
PDX-M6	MONO POWER DENSITY DIGITAL AMPLIFIER, 1 x 1200 W Max, 1 x 600 W RMS [2Ω and 4Ω@14.4V 1% THD], Low Resistance, High Current Speaker Terminals	749
MRP-M2000	Mono, RMS Power Output: 1 x 2000W (2Ω), 1 x 1500W (4Ω), Class-D	999
MRX-M100	Mono, Max Power Output: 1900W, RMS Power Output: 1 x 1000W(2Ω), 1 x 600W(4Ω), Class-D	699
MRX-M50	Mono, Max Power Output: 1100W, RMS Power Output: 1 x 500W(2Ω), 1 x 300W(4Ω), Class-D	399
3.2 2 CH Amplifier		
PMX-T320	2 Channels, Max Power Output (@16V, 30%THD, 2Ω): 320W. RMS Power Output: 2 x 50W(4Ω), 2 x 75W(2Ω), BTL: 1 x 150W(bridged)	219
MRX-T15	2 Channels, Max Power Output: 350W. RMS Power Output: 2 x 75W(2Ω), 2 x 50W(4Ω), 1 x 150W(4Ω)	349
3.3 Multi CH Amplifier		
PDX-F6	4/3/2 CHANNEL POWER DENSITY DIGITAL AMPLIFIER, 1 x 1200 W Max, 4 x 150 W RMS [2Ω and 4Ω@14.4V 1% THD], 2 x 300 W RMS [4Ω@14.4V BTL 1% THD] Low Resistance, High Current Speaker Terminals	1099
PDX-F4	4/3/2 CHANNEL POWER DENSITY DIGITAL AMPLIFIER, 1 x 900 W Max, 4 x 100 W RMS [2Ω and 4Ω@14.4V 1% THD], 2 x 200 W RMS [4Ω@14.4V BTL 1% THD] Low Resistance, High Current Speaker Terminals	799
PDX-5	5 CHANNEL POWER DENSITY DIGITAL AMPLIFIER, 4 x 75 W Max [4Ω], 1 x 300 W [2Ω]	899
MRX-V60	5 Channels, Max Power Output: 1200W. RMS Power Output: 4 x 75W + 1 x 300W(2Ω), 4 x 50W + 1 x 200W(4Ω), 2 x 150W + 1 x 200W(4Ω)	699
PMX-F640	4 Channels, Max Power Output (@16V, 30%THD, 2Ω): 640W. RMS Power Output: 4 x 50W(4Ω), 4 x 75W(2Ω), BTL: 2 x 150W(bridged)	289
MRP-F600	4 Channels, Max Power Output (@14.4V): 2 x 660W. RMS Power Output: 4 x 150W(2Ω), 4 x 100W(4Ω), CH 3/4 Bridged: 2 x 300W(4Ω), Class-A/B	699
MRX-F30	4 Channels, Max Power Output: 650W. RMS Power Output: 4 x 75W(2Ω), 4 x 50W(4Ω), 2 x 150W(4Ω)	449
KTP-445	HEAD UNIT POWER PACK, 4 x 100W MAX • Works with all 2005 - present Alpine head units • Plug & Play installation (no additional wiring required) • Compact size (fits easily inside dashboard of most vehicles) • Can also be used in PXA-H100 systems	249
4. Speaker		
4.1 Type-X Speaker		
SPX-17REF	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER, 225 W Peak Power, 75 W RMS, Frequency Response: 35Hz-40kHz	699
SPX-13REF	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER, 180 W Peak Power, 60 W RMS, Frequency Response: 40Hz-40kHz	689
SPX-17PRO	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER, 300 W Peak Power, 100 W RMS, Frequency Response: 35Hz-60kHz	959
SPX-13PRO	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER, 240 W Peak Power, 80 W RMS, Frequency Response: 40Hz-60kHz	949
4.2 Type-R Speaker		



MODEL NO - oznaka modela	DESCRIPTION - OPIS	CIJENA MPC U KM ZA BIH sa PDV
SPR-17S	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER, 330 W Peak Power, 110 W RMS, Frequency Response: 65Hz-27kHz	399
SPR-13S	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER, 300 W Peak Power, 100 W RMS, Frequency Response: 70Hz-27kHz	399
SPR-17C	6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER, 300 W Peak Power, 100 W RMS, Frequency Response: 65Hz-27kHz	219
SPR-69C	6x9" (16 x 24cm) COAXIAL 2-WAY SPEAKER, 300 W Peak Power, 100 W RMS, Frequency Response: 60Hz-27kHz	199
SPR-60C	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER, 330W Peak Power, 110W RMS, Frequency Response: 65Hz-29kHz	399
SPR-50C	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER, 300W Peak Power, 100W RMS, Frequency Response: 70Hz-29kHz	389
SPR-60	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER, 300W Peak Power, 100W RMS, Frequency Response: 65Hz-29kHz	249
SPR-50	5-1/4" (13cm) COAXIAL 2-WAY SPEAKER, 270W Peak Power, 90W RMS, Frequency Response: 70Hz-29kHz	239
SPR-69	6-9" (16cm x 24cm) COAXIAL 2-WAY SPEAKER, 300W Peak Power, 100W RMS, Frequency Response: 60Hz-29kHz	249
4.3 Type-S Speaker		
SPS-110TW	1" Wide-Range Silk Dome Tweeter 100W peak power	119
SPS-100S	3/8" balanced dome tweeter 90W peak power	75
4.4 Type-G Speaker		
SPG-69C3	6x9" (15 x 23cm) COAXIAL 3-WAY SPEAKER, 350 W Peak Power, 90 W RMS, Frequency Response: 65Hz-19kHz	119
SPG-69C2	6x9" (15 x 23cm) COAXIAL 2-WAY SPEAKER, 300 W Peak Power, 75 W RMS, Frequency Response: 65Hz-18kHz	115
SPG-17C2	6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER, 240 W Peak Power, 60 W RMS, Frequency Response: 68Hz-20kHz	99
SPG-13C2	5-1/4" (13cm) COAXIAL 2-WAY SPEAKER, 200 W Peak Power, 50 W RMS, Frequency Response: 82Hz-20kHz	79
SPG-10C2	4" (10cm) COAXIAL 2-WAY SPEAKER, 180 W Peak Power, 45 W RMS, Frequency Response: 101Hz-18kHz	79
SPG-17CS	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER, 280 W Peak Power, 70 W RMS, Frequency Response: 68Hz-20kHz	189
SPG-13CS	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER, 250 W Peak Power, 65 W RMS, Frequency Response: 65Hz-20kHz	175
4.5 SXE / Custom Speaker		
SXE-4625S	4x6" (10 x 15cm) COAXIAL 2-WAY SPEAKER, 150 W Peak Power, 20 W RMS, Frequency Response: 90Hz-20kHz	65
SXE-0825S	3-1/2" (8.6cm) COAXIAL 2-WAY SPEAKER, 150 W Peak Power, 20 W RMS, Frequency Response: 120Hz-16kHz	49
SXE-1025S	4" (10cm) COAXIAL 2-WAY SPEAKER, 180 W Peak Power, 25 W RMS, Frequency Response: 100Hz-20kHz	59
SXE-1325S	5-1/4" (13cm) COAXIAL 2-WAY SPEAKER, 200 W Peak Power, 35 W RMS, Frequency Response: 70Hz-20kHz	20
SXE-1725S	6-1/2" (16.5cm DIN) COAXIAL 2-WAY SPEAKER, 220 W Peak Power, 40 W RMS, Frequency Response: 60Hz-20kHz	79
SXE-1350S	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER, 250 W Peak Power, 40 W RMS, Frequency Response: 60Hz-20kHz	99
SXE-1750S	6-1/2" (16.5cm DIN) COMPONENT 2-WAY SPEAKER, 280 W Peak Power, 45 W RMS, Frequency Response: 60Hz-20kHz	109
SXE-2035S	20cm COAXIAL 3-WAY SPEAKER, 280 W Peak Power, 45 W RMS, Frequency Response: 40Hz-20kHz	99
SXE-6925S	6x9" (15 x 23cm) COAXIAL 2-WAY SPEAKER, 280 W Peak Power, 45 W RMS, Frequency Response: 40Hz-20kHz	99
SXE-5725S	5x7" (12.5 x 17.5cm) COAXIAL 2-WAY SPEAKER, 200 W Peak Power, 35 W RMS, Frequency Response: 70Hz-20kHz	69
4.6 Center Speaker		
DLB-100R	4" (10cm) COAXIAL 2 WAY LINEAR DRIVE CENTRE CHANNEL SPEAKER, 150 W Peak Power, 30 W RMS , Frequency Response: 75Hz-70kHz, Installation Kit Included	235
5. Subwoofer		
5.1 Type-X Subwoofer		
SWX-1043D	10" (25cm) SUBWOOFER (4Ω+ 4Ω), 3000 W Peak Power, 1000 W RMS, Frequency Response: 22Hz-500Hz	699
SWX-1243D	12" (30cm) SUBWOOFER (4Ω + 4Ω), 3000 W Peak Power, 1000 W RMS, Frequency Response: 20Hz-500Hz	749
5.2 Type-R Subwoofer		
SWR-1223D	12" (30cm) SUBWOOFER (2Ω+ 2Ω), 1800 W Peak Power, 600 W RMS, Frequency Response: 23Hz-400Hz	330
SWR-1243D	12" (30cm) SUBWOOFER (4Ω+ 4Ω), 1800 W Peak Power, 600 W RMS, Frequency Response: 23Hz-400Hz	339
SWR-T12	12" (30cm) SUBWOOFER (4Ω), 1800 W Peak Power, 600 W RMS, Frequency Response: 26Hz-200Hz	659
SWR-1023D	10" (25cm) SUBWOOFER (2Ω+ 2Ω), 1800 W Peak Power, 600 W RMS, Frequency Response: 26Hz-200Hz	309
SWR-1043D	10" (25cm) SUBWOOFER (4Ω+ 4Ω), 1800 W Peak Power, 600 W RMS, Frequency Response: 26Hz-200Hz	309
SWR-T10	10" (25cm) SUBWOOFER (4Ω), 1800 W Peak Power, 600 W RMS, Frequency Response: 28Hz-200Hz	639
SWR-1522D	15" (38cm) SUBWOOFER (2Ω+ 2Ω), 2000 W Peak Power, 750 W RMS, Frequency Response: 22Hz-500Hz	499
SWR-1542D	15" (38cm) SUBWOOFER (4Ω+ 4Ω), 2000 W Peak Power, 750 W RMS, Frequency Response: 22Hz-500Hz	499
5.3 Type-S Subwoofer		
SWS-1023D	10" (25cm) SUBWOOFER (2Ω+2Ω), 900 W Peak Power, 300 W RMS, Frequency Response: 30Hz-1kHz	179
5.4 Type-E Subwoofer		
SWE-1244E	12" (30cm) SUBWOOFER (4Ω), 650 W Peak Power, 200 W RMS, Frequency Response: 30Hz-500Hz	139
SWE-1044E	10" (25cm) SUBWOOFER (4Ω), 500 W Peak Power, 150 W RMS, Frequency Response: 33Hz-800Hz	129
SWE-843E	8" (20cm) SUBWOOFER (4Ω), 400 W Peak Power, 120 W RMS, Frequency Response: 34Hz-1.5kHz	129



MODEL NO - oznaka modela	DESCRIPTION - OPIS	CIJENA MPC U KM ZA BIH sa PDV
5.5 Subwoofer Box		
SWE-3200	12" (30cm) AMPLIFIED SUBWOOFER BOX (4Ω), Built-in PMX-T320 amplifier (320W Max Power, 150W RMS @ 14,4V 1%THD), High quality bass reflex box with acrylic window and removable port plug, Heavy duty subwoofer grill	545
SWE-1000	8" (20cm) POWERED SUBWOOFER BOX, 150 W Peak Power, Low Pass Filter:50Hz-125Hz (-12dB/oct).	399
SBG-1244BP	READY TO USE BASS REFLEX SUBWOOFER (4Ω), 800 W Peak Power, 250 W RMS, 12" Type-G Subwoofer, Frequency Response: 28Hz-200Hz, Acrylic window with blue illumination	249
SBG-1244BR	READY TO USE BASS REFLEX SUBWOOFER (4Ω), 800 W Peak Power, 250 W RMS, 12" Type-G Subwoofer, Frequency Response: 28Hz-200Hz, Acrylic window with blue illumination	249
SBG-1044BR	READY TO USE BASS REFLEX SUBWOOFER (4Ω), 500 W Peak Power, 150 W RMS, 10" Type-G Subwoofer, Frequency Response: 30Hz-200Hz, Acrylic window with blue illumination	199
SBG-844BR	READY TO USE BASS REFLEX SUBWOOFER (4Ω), 400 W Peak Power, 120 W RMS, 8" Type-G Subwoofer, Frequency Response: 34Hz-200Hz, Acrylic window with blue illumination	149
SBG-12BR	READY TO USE BASS REFLEX SUBWOOFER (4Ω), 800 W Peak Power, 250 W RMS, 12" Type-G Subwoofer, Frequency Response: 28Hz-200Hz, Acrylic window with blue illumination	199
SBG-12KIT	HIGH PERFORMANCE SUBWOOFER PACKAGE, 800 W Peak Power, 250 W RMS, 12" Type-G Subwoofer, Frequency Response: 28Hz-200Hz, MRP-M350 V-POWER Digital Amplifier, High quality bass reflex box, High quality wiring kit	549
5.6 Type-G Subwoofer		
SWG-844	8" (20cm) SUBWOOFER (4Ω), 400 W Peak Power, 120 W RMS, Frequency Response: 34Hz-1.5kHz	129
SWG-1044	10" (25cm) SUBWOOFER (4Ω), 500 W Peak Power, 150 W RMS, Frequency Response: 33Hz-1kHz	149
SWG-1244	12" (30cm) SUBWOOFER (4Ω), 800 W Peak Power, 250 W RMS, Frequency Response: 28Hz-1kHz	169
6. Accessory (C/A)		
(alphabetical order)		
4311	Interconnector from speaker out to RCA input for high power R/C	74,5
4916	Optical fibre cable (6 m)	65,5
KAE-105A	ISO/JASO ANT Adapter	1,4
KAE-116C	6D changer magazine	31,5
KCA-121B	Interconnector for Ai-net (Male) to RCA (Female)	39
KCA-130B	0,2 m ai-net female to 8-pin male DIN adapter	25
KCA-235B	Versatile Link Cable	44,15
KCA-420i	iPod Link Interface	225
KCE-220UB	USB EXTENSION CABLE	24
KCE-236B	Mini Jack - iPod full speed cable	25,2
KCE-237B	09 FullSpeed to MINI-JACK Adapter	25,2
KCE-250BT	Bluetooth adapter, Parrot	219
KCE-400BT	Bluetooth adapter, Parrot	279
KCE-415i	iPod Video, Video Interface Adaptor, Provides Basic Control of an iPod Video (5G) By Touch Screen or Remote Control, S-Video or Composite Output	160
KCE-422i	iPod Full speed cable	45,7
KCE-433IV	FULL SPEED CONNECTION CABLE FOR iPod • For connecting an iPod or iPhone to CDE-103BT and CDE-101R/RM • Required to use iPod with KCE-400BT	45,7
KCE-840B	Renault and multi interface (integrated)	153,3
KCE-870B	Control voltage interface (Peugeot, Citroen, Opel)	153,3
KCE-USB3	2m USB Extension Cable w. Inst. Bracket	11,55
KCX-422TR	CHARGING CONVERTER FOR iPod • Required to connect (and charge) iPod nano 4G and iPod touch 2G to CDA-9887R, CDA-9886R, CDE-9882Ri, CDE-9880R, DVA-9861Ri, IVA-D106R, IVA-W205R and IVA-W202R • Not required with KCE-400BT	157,5
KWA-350B	3,5 m Ai-net display extension cable	68,5
KWE-155B	FM Antenna splitter for eX-10	43,5
KWE-843E	Renault (10 way ISO harness	21
KWE-845E	Renault ('98 Clio and future models / facelifts)	26,5
KWE-897E	Harness for Alfa Romeo 147 & 156	32,3
NVE-K200	Ai-net interconnector	141,5
RUE-4191	Multi function Wireless remote	125
RUE-4202	Wireless Remote Control for 2005 model	32,55
RUX-KNOB	Bass remote for PDX-M6, PDX-M12	50



MODEL NO - oznaka modela	DESCRIPTION - OPIS	CIJENA MPC U KM ZA BIH sa PDV
		0
N/V		0
A. Navigation		0
A.1 Fixed/DVD-Navigation		0
INA-W910R	<ul style="list-style-type: none"> • 4 x 50W High Power Amp • DVD±R/±RW/DivX/CD-R/-RW/WMA/MP3/AAC Playback • Made for iPhone and iPod • USB connection for iPhone and iPod or USB sticks • 7" WVGA touch screen • Built in Nav'N Go PRIMO Navigation System • 45 Western and Eastern European Countries covered • Built-in TMC Tuner providing Advanced TMC Functions • Voice Guidance in 29 Languages • Text to Speech (TTS) in 6 languages • High resolution maps with Anti-Aliasing and 3D landmark icons • 3D city maps • POI symbols with Marco Polo database • Built-in Parrot Bluetooth Module • Postcode input for all EU countries (incl. UK 7-digit codes) and partial address input feature • Quick Search • iPod video playback (requires KCU-451IV) • Navigation Touch Control • Direct camera port (for HCE-C117D with adjustable distance guides) • 24-Bit DAC • 3 PreOuts (4 Volts) • Optical Digital Output with KWE-610A • Rear A/V AUX Input • Remote Control Ready • DVD-Audio 2ch Down-Mix • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • Direct Touch Control of KCE-635UB • Works with Nokia (requires KCU-230NK) • Dual Zone media controls 	2999
INE-S900R	<ul style="list-style-type: none"> • 4 x 50W High Power Amp • DVD±R/±RW/DivX/CD-R/-RW/WMA/MP3 Playback • USB connection for iPhone and iPod or USB sticks • 6.1" LCD touch screen • Built in high-performance Navigation System • 35 Western and Eastern European Countries covered on SD card • Built-in TMC Tuner providing Advanced TMC Functions • Voice Guidance in 18 Languages • Personal POI Import • Built-in Bluetooth Module • One Look User Interface with customizable Side Screen • Quick Search • iPod video playback • Navigation Touch Control • Direct camera port (for HCE-C107D with adjustable distance guides) • 24-Bit DAC • 3 PreOuts • Front A/V Input, Rear A/V Input • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • Direct Touch Control of KCE-635UB 	2499
NVE-M300P	<ul style="list-style-type: none"> • NAVIGATION MODULE for Alpine Mobile Media Stations, Digital Media Stations and on-dash displays • Touch Control Ready • Excellent map coverage especially for eastern European countries* • Includes one free map update after purchase of NVE-M300P • 2D and real 3D map display with hundreds of 3D landmark icons • User Interface with consistent structure • Lane guidance display • Personal POI (Point Of Interest) import • Built-in TMC tuner with wide European coverage* • 7 digit UK postcode search 	999
NVD-S001	<ul style="list-style-type: none"> • Navigation map disc for INE-S900R. • 1. Service Pack 2 • Enables USB video playback • Speed camera database without limitations • Includes all Service Pack 1 updates • DVD mechanism firmware update • 2. New map: NavTeq Q2_2010 	300
NVD-V006	Europe DVD-ROM for N077P/PS	730
NVD-Z006	DVD ROM for NVE-N099P	745
NVD-T337	DVD ROM for INA-N333R / RR / RS / RRS	640
KCE-900E	Navigation connecting box	116



MODEL NO - oznaka modela	DESCRIPTION - OPIS	CIJENA MPC U KM ZA BIH sa PDV
A.2 Portable Navigation		
		0
PMD-B200P	PORTABLE NAVIGATION SYSTEM, 4" Wide Touch Screen, direct docking with IVA-W505R and IVA-W205R, Build in Bluetooth	1290
PMD-DOK2	Docking station for Blackbird PMD-B200P, to connect all I/S units (CVA and IVA)	275
B. A/V		
B.1 I/S Headunit		
IVA-W520R	2Din Mobile Media Station, 7" WVGA Touch Screen display, DVD±R/±RW/MP3/AAC/WMA/DivX Playback, same GUI as IVA-W505R/W502R	1399
IVA-D800R	1-DIN MOBILE MEDIA STATION • 4 x 50W High Power Amp • 7" WVGA Touch Screen display • DVD±R/±RW/MP3/AAC/WMA/DivX Playback • Copper chassis • Audiophile-grade parts and components • Control of PXA-H800 basic functions • USB connection for iPod, iPhone or USB sticks • iPod video content playback and album artwork display • IMPRINT Ready • 2.0m USB Cable Included • 6-Channel Digital Time Correction • 7-band Graphic EQ or 5-band Parametric EQ • High Pass Filter • Digital AM/FM Tuner • 24-Bit DAC • Parrot Bluetooth Ready with KCE-400BT or KCE-250BT • LLC Visual Enhancement system • Full Speed AUX Input • Quick Search • Ai-NET • 3 PreOuts • 2 Prelins for PXA-H100 • Remote Control Ready • 1 AUX input / 1 AUX output • Direct camera port (for HCE-C117D) • DVD-Audio 2ch down-mix • Steering Wheel Remote Control Ready • Digital Output (requires KWE-610A)	1999
IVA-D511R	1-DIN MOBILE MEDIA STATION • 4 x 50W High Power Amp • 7" WVGA Touch Screen display • DVD±R/±RW/MP3/AAC/WMA/DivX Playback • USB connection for iPod, iPhone and USB sticks • iPod video content playback and album artwork display • IMPRINT Ready • 2.0m USB Cable Included • 6-Channel Digital Time Correction • 7-band Graphic EQ or 5-band Parametric EQ • High Pass Filter • Digital AM/FM Tuner • 24-Bit DAC • Parrot Bluetooth Ready with KCE-400BT or KCE-250BT • LLC Visual Enhancement system • Full Speed AUX Input • Quick Search • Ai-NET • 3 PreOuts • 2 Prelins for PXA-H100 • Remote Control Ready • 1 AUX input / 1 AUX output • Direct camera port (for HCE-C107D) • DVD-Audio 2ch down-mix • Steering Wheel Remote Control Ready • Optical Digital Output	1899
IVA-D511RB	blue/red illumination, same features as IVA-D511R	1899
IVA-D106R	1Din Mobile Media Station, 4x50W high power amp, 7" QVGA Touch Screen display, DVD+R/+RW/MP3/AAC/WMA/DivX Playback, USB connection for iPod	1699
B.2 DVD Source Units		
DHA-S690	6 DISC DVD/DivX/MP3/WMA/AAC CHANGER, Ai-NET and stand-alone operation, 24-Bit DAC, DVD-Audio 2-channel down-mix, Remote control included, DVD-R/-RW playback, S-Video Output	999
C. Multimedia		
C.1 Monitor		
TME-S370	Slim 6.5inch VGA touch sreen monitor	680
TME-M710	6.5" Wide Monitor, PAL / NTSC compatible	915
TME-M680	5.8" WIDE SCREEN MONITOR, 5.8" VGA LCD Colour Monitor, 3 A/V Inputs (1 A/V Output Selectable), Installation Kit Included, IR Transmitter for Alpine Headphones,	680
TME-M680EM	Add-on Display without Black-Box for Dual Monitor Upgrade	435
TME-M780	7" WIDE SCREEN MONITOR, 7" VGA LCD Colour Monitor, 3 A/V Inputs (1 A/V Output Selectable), Installation Kit Included, IR Transmitter for Alpine Headphones	755
TME-M780EM	Add-on Display without Black-Box for Dual Monitor Upgrade	500
C.2 Overhead Monitor		
PKG-2100P	10.2" WVGA OVERHEAD MONITOR WITH DVD PLAYER, 10.2" WVGA Screen LCD Colour Monitor (1.15 million pixels), Includes Single Source Wireless Headphone, Cable Harness and Installation Kit with Trim Ring, 1 A/V Output and 3 A/V Inputs (1 Gameport in Monitor Enclosure), DVD-R/-RW Compatible, DIVX and MP3 support	1490
C.3 Headphones		
SHS-N103	SINGLE SOURCE MOBILE WIRELESS HEADPHONE	58,5
SHS-N205	DUAL SOURCE MOBILE WIRELESS HEADPHONE	80
SHS-N252	DUAL SOURCE MOBILE WIRELESS HEADPHONE SYSTEM	426
C.4 TV Tuner / Antenna		
TUE-T150DV	MOBILE DIGITAL TV RECEIVER (DVB-T), Multi Language On Screen Display, Auto Search , EPG / Tele Text, 2 Ch Antenna Diversity System , Remote Control Included, 1 A/V Input, S-Video Output, DVB ID Number 4314	572,5
KAE-210DV	ACTIVE DVB-T ANTENNA SET, Full VHF and UHF Reception (174-230MHz, 470-863MHz), Low-Noise Amplifier, 5m cable with F-Type Plugs, LED Power Indicator, GSM Filter	175,9
KAE-205DV	Active DVB-T antenna	115,5
C.5 Camera		
		0
HCE-C115	REVERSING CAMERA • Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Camera dimensions: W 23,4mm x H 23,4mm x D 19,3mm • Black-box dimensions: W 100mm x H 50mm x D 25mm • Angle of field: horizontal 127°, vertical 101° • Standard RCA connectivity	360
HCE-C117D	REVERSING CAMERA • Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Camera dimensions: W 23,4mm x H 23,4mm x D 19,3mm • Angle of field: horizontal 127°, vertical 101° • Non-black-box design • Works with products featuring Direct Camera Input: iXA-W404R, iXA-W407BT, IVA-D511R/RB, INE-S900R, IVA-D800R, INA-W910R • Includes 11 meter cable	327,5
HCE-C200F	MULTI-VIEW FRONT CAMERA EXPANSION KIT, 3 viewing modes: corner view, top view, panorama view, Requires HCE-C200R	813,7



MODEL NO - oznaka modela	DESCRIPTION - OPIS	CIJENA MPC U KM ZA BIH sa PDV
HCE-C212F	MULTI-VIEW FRONT CAMERA SYSTEM, Ultra wide angle camera with mounting kit, 3 viewing modes: corner view, ground view, panorama view • Includes control switch and black-box • Automatic imaging function: metering and white balance adjustment, Camera dimensions: W 23,4mm x H 23,4mm x D 21,3mm (tentative), Black-box dimensions: W 100mm x H 50mm x D 25mm, Angle of field: horizontal 185°, vertical 144° (tentative)	800
HCE-C200R	MULTI-VIEW REAR CAMERA SYSTEM, 4 viewing modes: corner view, top view, panorama view, standard rear view, Includes control pad and black-box	975,95
HCE-C210RD	MULTI-VIEW REVERSING CAMERA, 4 viewing modes: corner view, ground view, panorama view, rear view, Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC), Camera dimensions: W 23,4mm x H 23,4mm x D 21,3mm (tentative), Angle of field: horizontal 185°, vertical 144° (tentative)	695
HCE-C300R	ACTIVE VIEWTM CAMERA SYSTEM • Ultra wide angle, multi-view camera with mounting kit • Active obstacle warning system that detects moving objects such as pedestrians and vehicles • Visual and acoustic driver warning • Adjustable multi-color distance guides • 4 viewing modes: corner view, ground view, panorama view, rear view • Includes control switch, warning sound module and black-box • Angle of field: horizontal 190°, vertical 155° • Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Includes direct camera connection and standard RCA connectivity	955
C.6 Multimedia Accessories		0
KAE-158C	DVD changer magazine for DHA-S690	50
KCE-030N	Interface Cable for NVE-N055PV and RCA Input Monitors	46
KCE-200V	Vidio signal splitter	92,5
KCE-425i	iPod Video Interface	600
KCE-430iV	iPod Video full SPD conn. cable for. IVA-D106R	45,7
KCE-435iV	iPod cable for IVA-D106R, to connect an iPod to an IVA-D106R when using KCE-400BT, including video playback	68,8
KCE-635UB	USB Multimedia Interface, MPEG1, MPEG2, MPEG4, XVID, WMV9, DivX	440
KCU-451iV	iPod cable for IVA-D511R/RB and INE-S900R	63
KCU-230NK	USB connection cable for works with Nokia compatible phones to CDE-123R and INA-W910R.	20
KCU-442i	CDE-123R iPod adaptor for USB cable	37,5
KRE-500E	IR Remote eye for DVA-7996R / DVA-5210	49
KRE-502E	IR Sensor Remote Interface, IR Sensor Included	75
KWE-610A	Optical Fiber Cable (6m), for IVA-W505R or IVA-W502R	200
RSE-K100SC	Install.Kit /PKG-2000/2100P/RenaultScenic	100
RSE-K100TG	Install. Kit /PKG-2000/2100P/ VW Touareg	100
RSE-K100TN	Install. Kit /PKG-2000/2100P/ VW Touran	100
RSE-K100ZA	Install.Kit /PKG-2000/2100P/Opel ZafiraB	100
RUE-M300	Remote control for NVE-M300P	170
VPE-S431	Expansion box for IVA-D300R/RB	415